

AMERICAN SIGNATURE  
← ADJACENT TENANT →

AMERICAN SIGNATURE  
HOME - STORE #415  
BUILDING INTERIOR - FINISHES

MARKET SQUARE  
13711 South Tamiami Trail  
Fort Myers, Florida 33912

PROJECT NUMBER: AS-04

ACOCK  
ASSOCIATES  
ARCHITECTS

383 NORTH FRONT STREET  
COLUMBUS, OHIO 43215  
Ph: (614) 228-1586 Fax: (614) 228-2780

MC MULLEN ENGINEERING CO., INC.  
MECHANICAL AND ELECTRICAL ENGINEERS  
779 BROOKSIDE BLVD. WESTERVILLE, OH 43081  
614-895-9408 FAX: 614-895-9450  
E-Mail: mec@mcmulleneng.com  
Web: http://www.mcmulleneng.com

*George W. Acock*

FLOOR PLAN


SCALE: AS NOTED

ISSUE DATE: 05/07/04

REVISIONS

NUMBER DATE NUMBER DATE  
A 07/20/04

A2




PLAN LOCATION KEY  
N.T.S.

GENERAL NOTES:  
SEE FLOOR FINISH PLAN SHEET A/A5 FOR MATERIALS, FINISHES & FLOOR DETAILS.  
ALL WALL PARTITION HEIGHTS, CEILING ELEVATIONS, ETC. ARE RELATIVE TO FINISH FLOOR LEVEL.


- FLOOR PLAN CODED NOTES:
1. DISPLAY PLATFORM EDGE - SEE DETAILS B&C/A5.
  2. EXISTING STEEL COLUMNS TO RECEIVE PREFAB 10'-0" HIGH COLUMN WRAP. PANT P-1. ALSO, PAINT STEEL COLUMN ABOVE. PANT P-1. REFER TO DETAIL C/A13. PURCHASE FROM VENDOR #1.
  3. 8'-0" WIDE x 8'-0" HIGH BI-FOLD RETRACTABLE GATE. PURCHASE FROM VENDOR #2.
  4. 1'-6" x 3'-6" PREFABRICATED WOOD COLUMN TO 12'-0" A.F.F. w/CROWN MOULDING OVER NEW 3" DIA. T.S. COLUMN TO 6'-0" A.F.F. w/ WELDED BASE PLATE. BOLTED TO CONCRETE FLOOR SLAB. REFER TO DETAIL H/A13. PURCHASE FROM VENDOR #1.G.C. TO INSTALL.
  5. INTERIOR OVERHEAD DOOR RAIL PROTECTION UNITS. SEE DETAIL 5/A10. PURCHASE FROM VENDOR #2 TYP. OF 8 UNITS.
  6. CONTINUOUS 8'-0" HIGH, 3/4" FRP PLYWOOD (UNPAINTED) AT STOCK ROOM SIDE OF ALL GYPSUM BOARD PARTITIONS SHOWN DASHED ON PLAN.
  7. 1'-0" PREFABRICATED WOOD COLUMN TO 3'-9 3/4" A.F.F. w/CROWN MOULDING OVER NEW 3" DIA. STL. COLUMN TO 3'-0" A.F.F. w/ WELDED BASE PLATE. BOLTED TO CONCRETE FLOOR SLAB. REFER TO DETAIL F/A13. PURCHASE FROM VENDOR #1.G.C. TO INSTALL.
  8. 1'-6" PREFABRICATED WOOD COLUMN TO 10'-0" A.F.F. w/CROWN MOULDING OVER NEW 3" DIA. STL. COLUMN TO 6'-0" A.F.F. w/ WELDED BASE PLATE. BOLTED TO CONCRETE FLOOR SLAB. REFER TO DETAIL E/A13. PURCHASE FROM VENDOR #1.G.C. TO INSTALL.
  9. 1'-6" PREFABRICATED WOOD COLUMN TO 12'-0" A.F.F. w/CROWN MOULDING OVER NEW 3" DIA. STL. COLUMN TO 6'-0" A.F.F. w/ WELDED BASE PLATE. BOLTED TO CONCRETE FLOOR SLAB. REFER TO DETAIL E/A13. PURCHASE FROM VENDOR #1.G.C. TO INSTALL.
  10. 8'-0" HIGH CHAIN LINK FENCE, G.C. TO PROVIDE AND INSTALL (TYP.). COORDINATE DIMENSIONS w/ CONSTRUCTION REP. REFER TO DETAIL 5/A9.
  11. 10'-0" WIDE x 8'-0" HIGH GATE. PURCHASE FROM VENDOR #2
  12. (2) 4 x 8 FRP PLYWOOD BACK BOARD FOR SECURITY, ALARM AND TELEPHONE SYSTEMS.
  13. NEW ROOF HATCH & LADDER - SEE DETAIL N/A9
  14. 24" x 24" PLUMBING ACCESS PANEL, COORDINATE LOCATION w/ PLUMBING DRAWINGS.
  15. PROVIDE KNOX-BOX, 3200 SERIES RECESS MOUNTED. COORDINATE FINAL LOCATION w/ FIRE MARSHALL.
  16. PROVIDE 3/4" FRP PLYWOOD BLOCKING BETWEEN STUDS FROM 2'-0" & 8'-0" A.F.F.
  17. NOT USED
  18. DOCK LIGHTS - SEE ELECTRICAL DRAWINGS. VERIFY FINAL LOCATION w/ CONSTRUCTION REP.
  19. CONCRETE FLOOR SLAB / TRANSITION FROM T.O.S. TO 3" ABOVE - SEE DETAIL L/A5.

WALL LEGEND


TYPE	DETAIL	DESCRIPTION
A	A8	EXISTING WALL BY LANDLORD TO ROOF DECK.
B	A8	AT WINDOW DISPLAY, EXISTING WALL w/ NEW 2 1/2" "Z" CHANNEL FROM 2'-0" A.F.F. TO ROOF DECK.
C	A8	EXISTING WALL w/ NEW 2 1/2" "Z" CHANNEL TO MIN. 6" ABOVE FINISHED CEILING.
D	A8	6" - 18GA. MTL. STUDS @ 16" O.C. TO BOTTOM CHORD OF BAR JOIST.
E	A8	6" - 18GA. MTL. STUDS @ 16" O.C. TO ROOF DECK
F	A9	6" - 20GA. MTL. STUDS @ 16" O.C. TO 3'-6" A.F.F.
G	A9	8" - 20GA. MTL. STUDS @ 16" O.C. TO 11'-0" A.F.F.
G1	A9	8" - 20GA. MTL. STUDS @ 16" O.C. TO 11'-0" A.F.F. CROWN METAL MANUFACTURING, STUD-EZE HIDDEN SYS. # 3241, ON ONE SIDE ONLY, SEE ELEVATION C & D/A6 FOR SPACING.
G2	A9	10" - 20GA. MTL. STUDS @ 16" O.C. TO 11'-0" A.F.F. CROWN METAL MANUFACTURING, STUD-EZE HIDDEN SYS. # 3241, ON ONE SIDE ONLY, SEE ELEVATION C & D/A6 FOR SPACING.
G3	A9	10" - 20GA. MTL. STUDS @ 16" O.C. TO 11'-0" A.F.F.
H	A9	3 1/2" - 20GA. MTL. STUDS @ 16" O.C. TO 14'-6" A.F.F.
J	A9	3 1/2" OR 6" (SEE PLAN) - 20GA. MTL. STUDS @ 16" O.C. TO 8'-6" A.F.F. WATER RESISTANT BOARD @ ALL WALLS IN ROOMS 113, 114, & 118.
K	A9	3 1/2" OR 6" (SEE PLAN) - 20GA. MTL. STUDS @ 16" O.C. TO 10'-0" A.F.F. WATER RESISTANT BOARD @ ALL WALLS IN ROOMS 119, 120, & 121.
L	A9	NOT USED
M	A9	8" - 20GA. MTL. STUDS @ 16" O.C. TO 9'-0" A.F.F.
ML	A9	10" - 20GA. MTL. STUDS @ 16" O.C. TO 9'-0" A.F.F.
		PROVIDE FULL BATT ACOUS. INSULATION - FULL THICKNESS IN WALL CAVITY & 6" THICK ABOVE CEILING.




FLOOR PLAN



PARTIAL ENLARGED PLAN



PARTIAL ENLARGED PLAN



ENLARGED ENTRY PLAN